

Collective vision

Beatriz Lopes dos Santos, Juraj Kulich, Ricardo Ferreira, and Tomas Marek

Collective behaviour course research seminar report

December 17, 2023

Iztok Lebar Bajec | izredni professor | mentor

This work presents a mathematical modeling framework to understand self-organized collective behaviors in animal groups solely based on visual perception. The individual's velocity is described by both direction and magnitude, and responses to stimuli are analyzed using elementary vectors aligned with the individual's orientation. The model incorporates intrinsic motion tendencies and social interactions through a visual field. The introduction of a predator is proposed to extend the study, providing insights into how external threats influence collective behaviors. The successful implementation of the model showcases the dynamics of ray casting and infinite visibility. The work contributes to the understanding of collective behaviors and opens avenues for further exploration, particularly in the context of predator-prey interactions.

Collective behaviour | Vision based modelling | Geometric transformations

Self-organized collective behaviors like bird flocks and fish schools emerge from interactions between individuals. A variety of mathematical models have been developed to understand these coordinated group patterns. Early models represented the behaviors using simple rules like velocity matching and spatial attraction-repulsion (Reynolds 1987, Couzin et al. 2002). The influential Vicsek model formalized coordination through local alignment of movement directions (Vicsek et al. 1995). More sophisticated models have incorporated sensory limitations, cognitive factors, and physiological dynamics to capture more realistic collective animal behaviors (Couzin et al. 2011, Gautrais et al. 2012).

However, most models rely on individuals accessing spatial information like positions, distances, and velocities that are not directly available from their sensory perceptions. In particular, vision provides key information to nearby neighbors, yet its specific role in coordination remains unclear. Recent models have started to incorporate visual inputs, for example, using visual neighborhoods instead of metric radii for interactions (Strandburg-Peshkin et al. 2013). However, these vision-based models still explicitly represent non-visual properties like positions and headings, or simply add vision to existing interaction frameworks.

A model based purely on visual information, without relying on spatial representations or explicit coordination rules, can provide fundamental insights into principles of self-organization arising from visual perception. The visual projection field contains geometric transformations of neighbors' locations and motion that may spontaneously induce coordinated collective movement through simple visual response rules. Such a minimal vision-based model represents a drastically different modeling approach compared to established flocking frameworks that assume built-in coordination tendencies, typically through velocity alignment.

Here we introduce a mathematical modeling framework based purely on the response to visual projections. Simulations reveal surprising coordination abilities emerging from minimal vision-based interaction rules without common flocking assumptions. This demonstrates the critical role of sensory perception feedback in collective behavior, and how vision-based modeling can link collective animal behavior to sensory neuroscience.

In this study, we aim to extend our mathematical modeling framework, which relies solely on the response to visual projections, to incorporate the presence of a predator within the dynamic of collective animal behavior. The introduction of a predator adds an additional layer of complexity to the model, as it introduces a potential threat that the individuals in the collective must respond to based on their visual perceptions.

Methods

We propose a modeling framework where individuals interact solely based on their visual perception, without relying on spatial representations or explicit coordination rules. The model assumes each individual experiences a visual projection field encompassing objects visible in its surroundings. It responds to this field through simple terms for attraction and repulsion, creating implicit coordination.

Specifically, the visual response includes short-range repulsion from large angular areas occupied by nearby neighbors, as they expand in visual space.

The relative strengths of repulsion and attraction generate an implicit equilibrium spacing between neighbors. Collective motion patterns emerge from individuals continually responding to the movements of neighbors as translated through the visual

fields. There is no need to estimate distances or represent explicit positions of other individuals.

We implemented the model by representing the visual field in two dimensions using polar coordinates centered on each individual. The field is further simplified to a binary representation of occupied versus unoccupied visual angles. An individual's velocity change depends on summing the repulsion and attraction effects integrated over the angular coordinate.

The model is explored through agent-based simulations examining group coordination for varied parameters, including relative repulsion-attraction strengths, individual responsiveness, and group sizes.

This provides a high-level overview of the vision-based modeling approach, where collective dynamics emerge through simple visual response rules embodied by each individual, eliminating the need for built-in coordination assumptions required in most flocking models. The minimal vision-based interactions lead to surprising self-organization abilities.

Model construction.

The velocity of an individual i , \mathbf{v}_i as a combination of direction ψ_i and magnitude v_i .

$$\mathbf{v}_i = v_i \mathbf{e}_v^i$$

where \mathbf{e}_v^i is an elementary vector aligned with the individual's orientation.

The equations for velocity change are split into variations in magnitude ($\partial_t v_i$) and direction ($\partial_t \psi_i$):

$$\begin{aligned} \partial_t v_i &= \mathbf{F}_{\text{ind}}^i \cdot \mathbf{e}_v^i + \mathbf{F}_{\text{vis}}^i [V_i(\phi_i, \theta_i, t)] \cdot \mathbf{e}_v^i \\ \partial_t \psi_i &= \mathbf{F}_{\text{ind}}^i \cdot \mathbf{e}_\psi^i + \mathbf{F}_{\text{vis}}^i [V_i(\phi_i, \theta_i, t)] \cdot \mathbf{e}_\psi^i \end{aligned}$$

$\mathbf{F}_{\text{ind}}^i$ represents intrinsic motion tendencies, modeled as a linear relaxation to a preferred speed v_0 . The social force $\mathbf{F}_{\text{vis}}^i$ depends on the visual field V_i , representing interactions with others.

The target functions $\mathbf{h}(\phi)$ encode response patterns to visual cues:

$$\mathbf{h}(\phi) = \sum_p a_p \cos(p\phi) \mathbf{e}_y + b_p \sin(p\phi) \mathbf{e}_\psi$$

Symmetry assumptions ensure no permanent rotational motion. The equations for speed and direction changes involve symmetric ($G^S[V]$) and antisymmetric ($G^{AS}[V]$) components of the visual field:

$$\begin{aligned} \partial_t v_i &= \sum_p \int_{-\pi}^{\pi} d_\phi a_p \cos(p\phi) G^S[V] + \gamma (v_0 - v_i) \\ \partial_t \psi_i &= \sum_p \int_{-\pi}^{\pi} d_\phi b_p \sin(p\phi) G^{AS}[V] \end{aligned}$$

The equations relate changes in speed $\partial_t v_i$ and direction $\partial_t \psi_i$ to the symmetric $G^S[V]$ and antisymmetric $G^{AS}[V]$ components of the visual field V .

Here, we split the function $G[V]$ into its symmetrical part, $G^S[V]$, and its anti-symmetrical part $G^{AS}[V]$,

$$G[V] = G^S[V] + G^{AS}[V]$$

Decomposing the visual field into symmetric and antisymmetric parts allows driving speed and steering changes separately. The movement is then driven by the discrepancies in the symmetry of the visual field. The asymmetry between left and right will modify the direction of the individual while the asymmetry between front and back will modify the magnitude of the velocity.

Asymmetric stimuli induce turns, while symmetric stimuli alter speed. The equations model the effects of visual symmetry on behavior.

Model implementation.

To implement the model, we decided to make a 2D approach, using Python.

In the context of a flocking simulation, the parameters α_0 , α_1 , β_0 , and β_1 define disc behaviors in response to different forces or stimuli within the model. These coefficients control reactions to the positions and movements of other flock members:


- α_0 (*Acceleration coefficient for separation/cohesion*): Influences the rate at which discs adjust their speed to maintain an optimal distance from their neighbors. A higher value for α_0 results in a more pronounced separation when too close, or a stronger attraction (cohesion) when at an ideal distance.
- α_1 (*Acceleration coefficient for adapting to spatial gradient velocity*): Determines the degree to which a disc will change its velocity to match the average speed of the flock. With a positive value of α_1 , discs will either speed up or slow down to harmonize with the group's overall velocity.
- β_0 (*Angular velocity coefficient for alignment*): Modulates the discs' angular velocity for aligning its direction of movement with that of nearby discs. This leads to an alignment behavior, where discs orient themselves in the direction of the average heading. A more significant value for β_0 leads to a more aggressive alignment.
- β_1 (*Angular velocity coefficient for adapting to the angular gradient*): Affects how much a disc will adjust its heading angle to conform to the average orientation of the flock. If β_1 is positive, the disc will strive to minimize the angular difference to others, thus promoting a more uniform flock direction.

Adjusting these parameters can simulate a variety of flock behaviors, ranging from chaotic and dispersed to unified and patterned collective movements. They are essential for fine-tuning the emergent behavior of the flock within the simulation.

Raycast implementation.


The vision implementation inspired by the original paper is encapsulated in the file *infinite_vision.py*. The code defines a vision model in which a blue disc (circle1) serves as the focal point, and the goal is to determine whether another disc (circle2) is within its vision. The vision is influenced by a red obstacle disc (circle3). The *is_in_vision* function computes the visibility based on the positions of points on the circumference of circle2. The *draw_circles_and_line* function visualizes this scenario by plotting the three discs and connecting lines between the center of circle1 and several points on circle2. The color of circle2 changes dynamically based on whether it is visible to circle1, with green indicating visibility and red indicating obstruction.

Figure 1. Demonstration of the vision



The *draw_flock* function extends the vision concept to a flock of discs. The blue disc serves as the central focal point, and each disc in the flock is visually assessed for visibility. Discs that are visible to the central disc are colored green, while those obstructed by others are marked red. The function uses the *is_in_vision* check iteratively for each pair of discs, treating others as potential obstacles. This visualization provides insights into how each disc in the flock perceives others.

Figure 2. Set of discs from the blue one's point of view



The code is contained in the file *infinite_vision.py*, making it modular and easy to use in various scenarios. It's important to note that the vision model is not defined by the blue disc but represents the vision of the blue disc. The color of each disc dynamically changes based on its visibility to the central disc, facilitating a clear distinction between visible (green) and obstructed (red) discs. To further optimize performance, the vision model could be modified to check only discs within a certain radius, striking a balance between accuracy and real-time computational efficiency. This enhancement is particularly relevant for scenarios with a large number of discs, making the vision system more scalable and applicable in dynamic environments.

Results

A thorough search was conducted for existing codebases that could serve as a foundation for our extension. Unfortunately, despite an exhaustive exploration of available resources, no pre-existing codebase was found that meets our objectives.

In light of this, we undertook the challenge of implementing the proposed method entirely from scratch. This decision was driven by the need for a solution tailored to the specific requirements of our study, ensuring that the implemented model aligns with our conceptual framework.

Discs behaviour without predator.

The implementation of the mathematical modeling framework proposed by the paper has been carried out successfully. This process involved translating the theoretical foundations of the model, which is based solely on the response to visual projections, into a functional and effective codebase.

We have successfully replicated **polarized flocking behavior**, characterized by a circular formation. The modeled entities exhibit a distinct propensity to align their headings while maintaining proximity, forming a circular arrangement. A *GIF* of this behavior can be found in the [README.md](#) of the repository.

Discussion

We're currently experimenting with different settings in our simulation to find out more about how groups of objects interact. By changing specific factors and starting conditions systematically, we hope to uncover various patterns of collective movement,

Looking ahead, our study is yet not completed. Our intention to implement the predator part is motivated by the desire to present a more holistic and realistic simulation of self-organized collective behaviors. Further behavioral complexity, such as the addition of attraction to targets, could enrich the overall dynamics.

In summary, the initial implementation lays a solid foundation, and future refinements can build upon this foundation to create a more sophisticated and visually compelling simulation.

Bibliography

1. Renaud Bastien and Pawel Romanczuk, *A model of collective behavior based purely on vision*, *Science Advances*, vol. 6, no. 6, 5 Feb 2020, DOI: <https://www.science.org/doi/10.1126/sciadv.aay0792>.

Contributions

Beatriz polished the report and added missing sections to it as well as visual aspects of the discs in the code, such as the trail of movement;

Juraj implemented the base model and helped with the addition of information to the report;

Tomas implemented an initial version of the base model and raycast implementation, as well as the addition of information to the report.